

STEEL

Entrance



TT-2 PANEL 3/4 TOP



QM-3 PANEL URBAN



CH-2 PANEL SQUARE



AA-FLUSH



BB-6 PANEL



KS-2 PANEL CAMBER PLANK



CC-2 PANEL CAMBER TOP



LL-4 PANEL



QS-3 PANEL



FM-3 PANEL CRAFTSMAN URBAN



SR36-2 PANEL



SR48-2 PANEL



SS-FLUSH



SDRXE36-2



SDRXE48-2

STEEL

Steel doors remain our most popular line due to their solid construction which allows them to resist cracking and years of exposure to the elements, while requiring very little maintenance. They are an ideal choice for homeowners requiring a high degree of security from their entrance doors.

FOR MORE OPTIONS SEE A DEALER NEAR YOU.



PAINT COLOURS

PAINT COLOURS

Selecting the perfect colour for your Steel, Smooth Fiberglass or Textured Fiberglass door to complement your home is easier with our wide selection of in-stock colours.



Have your heart set on a different colour?
Colour matching is available.
Ask your dealer for details.

*COLOURS MAY VARY DUE TO PRINTING LIMITATIONS.



JAMBS

Entrance



CELLULAR PVC SMOOTH



CELLULAR PVC TEXTURED




PRIMED



VINYL CLAD PRIMED

JAMBS

Available in 4 5/8", 6 5/8" or 7 5/8" (PVC and outswing not available in 7 5/8") depth in either natural finger jointed pine, white vinyl clad, PVC Smooth or Textured or can be painted with one of our 44 in-stock colours. PVC Textured can be painted or stained.



CUSTOM COLOR MATCH AVAILABLE UPON REQUEST.



WEATHERSTRIP

Entrance

WEATHERSTRIP

Keeping the cold out is an important part of any Entrance system.



WHITE



BLACK

HINGES

We provide 3 options of hinges and some of them in several colour options.



ZINC



BLACK



STAINLESS
STEEL



COMPRESSION



STANDARD
HINGES



SELF-CLOSING
HINGES*



*Optional



BALL BEARING
HINGES*



*Optional

MULTI-POINT LOCKS

Entrance

AUTOMATIC MULTI-POINT LOCKING HARDWARE

The top and bottom 3/4" (20mm) tempered steel latchbolts always engage behind the keepers upon closing the door

- give more security
- give better weather sealing performance
- help reduce door warpage

1" (25mm) central deadbolt

90 degree rotation of thumbturn or US-cylinder engages the deadbolt

Reversible latches

High grade 16mm Stainless Steel faceplate for higher corrosion resistance. Radius ends for a clean look and easy installation

Available in 45, 55 and 65mm backsets for 6' 8" - 8' doors.

Extension with additional lock point is available for doors taller than 8'

ZAMAC TORINO 45MM



DARK BRONZE



PEWTER

ADDITIONAL HANDLE STYLES AVAILABLE.

OUTSWING SILLS

Entrance


OUTSWING SILLS

PVC No Rot Sill

Aluminum Cap

High Performing Sill

Sweepless Design



PERFORMANCE	PG Rating	Water	Structural
OUTSWING SINGLE	35	360	1680

BEST WATER PENETRATION RATING POSSIBLE IS 730 PA
BEST AIR RATING POSSIBLE IS A3



BLACK
ANODIZED



MILL
FINISHED

INSWING SILLS

INSWING SILLS

PVC No Rot Sill

Aluminum Cap

High Performing Sill

Concealed Drainage

New Design



PERFORMANCE	PG Rating	Water	Structural
INSWING SINGLE	40	400	1920

BEST WATER PENETRATION RATING POSSIBLE IS 730 PA
BEST AIR RATING POSSIBLE IS A3

